

## **Consent for Punctal Plugs**

This information is given to you so that you can make an informed decision about having punctal plugs. Take as much time as you wish to make your decision about signing this informed consent. You have the right to ask questions about any procedure before agreeing to have it.

My ophthalmologist has diagnosed me with dry eye syndrome. Typical symptoms of this condition include burning and (paradoxically) watering and a sensation like something is in the eye. In many cases dry eyes are caused by the body's failure to produce enough tears. Blocking the tear drainage system with punctal or intracanalicular (tear duct) plugs may improve symptoms by keeping more tears in the eye. Severe cases of dry eye may lead to infection and in rare cases, blindness or loss of the eye.

### **Alternatives:**

1. Artificial tears or ointment: Lubrication increase moisture of the surface of the eye. Depending on severity, these over-the-counter drops and ointments may be applied several times daily for maximum comfort.
2. Restasis: Used twice daily, this prescription eye drop increase production of the body's own tears. It takes 4-6 weeks to work.
3. Surgical tear drainage closure: The punctum and canaliculus may be surgically occluded by thermal cautery (heat). These methods should be considered permanent.
4. No treatment. I may choose to do nothing and tolerate the symptoms of my dry eye condition.

### **Risks:**

1. Infection. The punctal plug is a foreign material and may be associated with infection around the plug. Infections can be treated with antibiotics and removal of the plug.
2. Excessive Tearing: In some cases, plugs may cause an overflow of tears. Your doctor may decide to remove the plugs in this situation.
3. Irritation. The exposed end of the plug may cause irritation and need to be replaced with a different size plug or removed.
4. Loss of plug. The punctal plug may fall out or need to be replaced.
5. Retention of plug in or permanent scarring of the tear duct. Although rare, plugs may become lodged in the tear drainage pathway (canaliculus) or cause scarring. Surgery may be necessary to re-establish tear drainage.

**Consent for Treatment:**

By signing below I acknowledge that I have read and understand the above and have had my questions answered by the surgeon to my satisfaction. I also understand that these are the most common complications and not all the complications that can occur. I consent to the above surgery.

---

Signature of Patient

---

Date